Datasheet



Home Security Wi-Fi Camera Model: Tapo C110





Highlight

Motion Detection and Notifications

When you are away home, there are always something you care about. This is where the smart camera functions. No matter your child is climbing the kitchen cabinet, or the pet is stealing snacks, Tapo C110 helps you stay with them anytime, anywhere.

Features

31	1P
Full	HD

3MP High-Definition

Capture every detail in crystal-clear Full HD definition.



Privacy Mode

Shut down the surveillance to protect your privacy.



Two-Way Audio

Communicate with loved ones with built-in microphone and speaker.



Night Vision

Even at night, the camera can provide a visual distance of up to 30 ft.



Sound and Light Alarm

Trigger light and sound effects to frighten away unwanted visitors.



Easy Setup

Set up the camera via Tapo app within minutes.



Live View

Always stay with what matters most to you anytime, anywhere.



Sharing

Share the memorable moments with your family and friends.

256 св	

Safe Storage

Store up to 256 GB on a microSD card[†], equal to 512 hours (21 days) of footage[^].



Specifications

Ptp-link | tapo

Camera

- · Image Sensor: 1/2.8"
- Resolution: 3MP (2304 × 1296 px)
- Night Vision: 850 nm IR LED up to 30 ft
- · Lens: F/NO: 2.0; Focal Length: 3.3mm
- Field of View: 105°

Audio

- · Audio Communication: 2-way audio
- · Audio Input & Output: Built-in microphone and speaker

Video

- · Video Compression: H.264
- · Frame Rate: 15fps
- · Video Streaming: 3MP

Activity Notifications

- Input Trigger: Motion detection
- Output Notification: Push notification

Hardware

- · Button: RESET button
- · Indicator LED: System LED
- · Adapter Input: 100-240VAC, 50/60Hz, 0.3A
- · Adapter Output: 9.0V/0.6A (DC Power)
- External Storage: microSD card slot (Supports up to 256 GB)
- Dimensions (W x D x H): 2.7 x 2.1 x 3.9 in. (67.6 x 54.6 x 98.9 mm)

Ptp-link | tapo

Specifications

Network

- · Frequency: 2.4GHz
- · Wireless Security: WPA/WPA2-PSK
- · Security: 128 bit AES encryption with SSL/TLS
- Protocol: TCP/IP, DHCP, ARP, ICMP, DNS, NTP, HTTP, HTTPS, UDP, ONVIF, RTSP



Others

- · Certifications: CE, RoHS, RCM
- · System Requirement: iOS 10+, Android 4.4+
- Package Contents:
 Tapo C110 Camera
 DC Power Adapter
 Quick Start Guide
 Mounting Screws
 Mounting Template
- · Operating Temperature: 0 °C \sim 40 °C (32°F \sim 104°F)
- Storage Temperature: -40°C~70°C (-40°F~158°F)
- · Operating Humidity: 10%~90%RH, Non-condensing
- Storage Humidity: 5%~90%RH, Non-condensing

[†]microSD card needs to be purchased separately. △The data comes from TP-Link laboratory.

Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders. ©2021 TP-Link